

McKILLICAW

Hands On...

with

3M



McKILLICAN

Wide Belts - Cloth, General Use 240D Aluminum Oxide, X-Weight, Open Coat


3M™ 240D General Use Wide Belts:


- ♦ Aluminum oxide mineral, open coated, on a durable X-weight cloth backing.
- ♦ Excellent general use belt for wood and soft substrates.
- ♦ Resin bonded for heat resistance.
- ♦ Open coat resists loading.
- ♦ 5 belts per case.




Item #	Mfg Part#	Size	Grade
81071591	71591	37" x 60"	180
81006828	06828	37" x 60"	150
81003952	03952	37" x 60"	120
81003951	03951	37" x 60"	100
81003950	03950	37" x 60"	80
81032444	32444	37" x 75"	220
81030419	30419	37" x 75"	180
81006822	06822	37" x 75"	150
81003932	03932	37" x 75"	120
81003931	03931	37" x 75"	100
81003930	03930	37" x 75"	80
81003929	03929	37" x 75"	60
81006920	06920	43" x 60"	150
81006919	06919	43" x 60"	120
81006917	06917	43" x 60"	80
81006916	06916	43" x 60"	60
81006889	06889	43" x 75"	150
81003995	03995	43" x 75"	120
81003993	03993	43" x 75"	80
81003994	03994	43" x 75"	60

TECH TIP: Selecting the Grade

 The purpose of the **roughing grade** is to remove stock & come to a uniform dimension, leaving just enough material to develop the final finish.

 The purpose of the **finishing grade or grades** is to remove all previous grade scratches.

 There should be **no more than a two-grade jump** between roughing & the next grade size.

Wide Belts - Cloth, Engineered Use 270D Aluminum Oxide, Y-Weight, Open Coat

3M™ 270D Engineered Use Resin Bond Wide Belts:

- ♦ Aluminum oxide mineral, open coated, on a durable Y-weight cloth backing.
- ♦ Designed for intermediate wood sanding operations where premature loading or clogging may be a problem.
- ♦ Resin bonded for heat resistance.
- ♦ Open coat resists loading.



Item #	Mfg Part#	Size	Grade	Case Qty
81081094	81094	37" x 60"	180	5
81076928	76928	37" x 60"	150	5
81074362	74362	37" x 60"	120	5
81076917	76917	37" x 60"	100	5
81014686	14686	37" x 60"	80	3
81014528	14528	37" x 60"	60	3
81076916	76916	37" x 60"	36	3
81074358	74358	37" x 75"	120	5
81073970	73970	37" x 75"	80	3
81011392	11392	37" x 75"	36	3

Wide Belt - Cloth, Engineered Use 240A, Aluminum Oxide, X-Weight, Open Coat

3M™ 240 Engineered Use Resin Bond Wide Belts:

- ♦ An aluminum oxide open coat, non-loading cloth belt constructed on a X-weight, durable cloth backing. Resin bonded for heat resistance.
- ♦ Open coat resists loading.
- ♦ Excellent for wood and soft substrates.



Item #	Mfg Part#	Size	Grade	Case Qty
81034289	34289	37" x 60"	150	5
81034290	34290	37" x 60"	120	5
81034291	34291	37" x 60"	100	5
81034292	34292	37" x 60"	80	3
81066958	66958	37" x 75"	150	5
81030418	30418	37" x 75"	120	5
81031491	31491	37" x 75"	100	5
81027339	27339	37" x 75"	80	3

Wide Belts - Cloth, Purple, High Performance 970DZ Purple, Cubitron™, Y-Weight, Open Coat

What's so special about Purple* Belts?

Count on 3M™ purple products to offer state-of-the-art technology designed to lower your production costs.

This family of woodworking products combines two of 3M™'s premier technologies: Cubitron™ Abrasive Grain and Xodust™ Dust Control Technology. Cubitron™ abrasive grain is simply the best you can get. It is the result of extensive research and process development.

Cubitron™ abrasive grain, developed and patented by 3M™, was introduced in 1981. Revolutionary performance and continual upgrades have made this the flagship of our coated abrasive product line.

3M™'s purple belts feature the highly effective Xodust™ dust control treatment. Less dust in the air not only creates a safer environment for the operator, but it also ensures cleaner panels, and reduces subsequent clean-up prior to finish or lamination. Machinery runs better when it is free of dust, and requires less maintenance. Purple belts will run longer with less dust adhering to the abrasive surface when used with an efficient dust collecting system.

Loading or clogging is minimized, and the abrasive continues to cut cleanly and efficiently.

- ♦ Cubitron™ Abrasive Grain on a heavy Y-weight cloth, open coat.
- ♦ Provides extremely long life, and uniform finish
- ♦ Performs well on all wood species.
- ♦ Reduced burning when performing "end-grain" sanding applications.
- ♦ 3M™ Xodust™ Technology reduces static and airborne dust levels when used with an efficient dust-collection system.
- ♦ Grades 100 and finer are 5 per box, 80 and coarser are 3 per box.



Item #	Mfg Part#	Size	Grade	Case Qty
81055800	55800	36" x 75"	150	5
81055799	55799	36" x 75"	120	5
81055798	55798	36" x 75"	100	5
81055797	55797	36" x 75"	80	3
81055808	55808	37" x 60"	150	5
81055807	55807	37" x 60"	120	5
81055806	55806	37" x 60"	100	5
81055805	55805	37" x 60"	80	3
81055814	55814	37" x 75"	180	5
81055812	55812	37" x 75"	150	5
81055811	55811	37" x 75"	120	5
81055810	55810	37" x 75"	100	5
81055809	55809	37" x 75"	80	3

Edge Sanding Belts - Cloth, High Performance 970DZ Purple, Cubitron™, Y-Weight, Open Coat

3M™ 970DZ Purple High Performance Belts:

- ♦ Premium purple* belt featuring Cubitron™ Abrasive Grain on a heavy Y-weight cloth, open coat.
- ♦ Provides extremely long life and uniform finish.
- ♦ Performs well on all wood species.
- ♦ Reduced burning when performing "end-grain" sanding applications.
- ♦ 3M™ Xodust™ Technology reduces static and airborne dust levels when used with an efficient dust-collection system.
- ♦ 5 belts per case.



Item #	Mfg Part#	Size	Grade
81050805	50805	4" x 132"	100
81050804	50804	4" x 132"	80

Edge Sanding Belts - Cloth, General Use 240D / 241D Aluminum Oxide, X-Weight, Open Coat

- ♦ Aluminum oxide on a durable X-weight, cotton cloth backing.
- ♦ **240D** is an open coat belt that provides good cut with less loading.
- ♦ **241D** is a closed coat belt that provides great finish.
- ♦ Excellent all-around abrasive belt for everyday use.



Item #	Mfg Part#	Size	Grade	Case Qty
240D (Open Coat)				
81027326	27326	2-1/4" x 80"	80	50
81070446	70446	4" x 132"	100	50
81011036	11036	6" x 132"	80	20
241D (Closed Coat)				
81025642	25642	4" x 132"	80	25
81025599	25599	6" x 132"	100	20



McKILLICAN

Edge Sanding Belts - Cloth, Engineered Use 270D Aluminum Oxide, X-Weight, Open Coat

3M™ 270D Engineered Use Belts:

- ♦ Aluminum oxide mineral, open coated, on a durable Y-weight cloth backing.
- ♦ Designed for intermediate wood sanding operations where premature loading or clogging may be a problem.
- ♦ Resin bonded for heat resistance.



Item #	Mfg Part#	Size	Grade	Case Qty
81005030	60528	4" x 132"	80	50
81005040	60524	6" x 80"	80	20

Stikit™ Dust Free Disc Roll 415N / 415U - Paper, General Use Silicon Carbide, A-Weight, Fre-cut Coating

- ♦ Silicon carbide mineral for best finish.
- ♦ Flexible A-Weight paper backing for conformability.
- ♦ Fre-cut Coating for load resistance.
- ♦ The industry standard for fine finishing.
- ♦ Grades 320 to 150 are 250 discs per roll (4 rolls per case), Grades 120 to 80 are 125 discs per roll, 8 rolls per case.



Item #	Mfg Part#	Size	Grade	Case Qty
415N				
81077249	77249	5" No Hole	320	4
81077247	77247	5" No Hole	280	4
415U				
81077241	77241	5" No Hole	220	4
81077237	77237	5" No Hole	180	4
81077234	77234	5" No Hole	150	4
81077230	77230	5" No Hole	120	8
81077227	77227	5" No Hole	100	8
81077223	77223	5" No Hole	80	8



Stikit™ Disc Roll 316U Paper, General Use Aluminum Oxide, A-Weight, Fre-cut Coating

Stikit™ Disc Roll 316U General Use, Paper:


- ♦ Aluminum oxide, A-weight light paper backer.
- ♦ Discs for paint, primer, wood and fiberglass.
- ♦ Fre-cut coating resists loading.
- ♦ Convenient disc roll form.
- ♦ 100 discs per roll.



Item #	Mfg Part#	Size	Grade	Case Qty
81001232	1232	5" No Hole	220	6 Rolls
81001233	1233	5" No Hole	180	6 Rolls
81001234	1234	5" No Hole	150	6 Rolls
81001235	1235	5" No Hole	120	6 Rolls
81001236	1236	5" No Hole	100	6 Rolls
81001237	1237	5" No Hole	80	6 Rolls

Stikit™ & Hookit™ 734 U Discs - Paper, High Performance Cubitron™ C-Weight

- ♦ Features 3M™ Cubitron™ Abrasive Grain.
- ♦ C-weight paper backing provides greater tear resistance and longer life than A or B weight paper discs.
- ♦ Load resistant coating ensures excellent disc life.
- ♦ Stikit™ discs are 75 per roll.
- ♦ Hookit™ discs are 50 per box.



Item #	Mfg Part#	Size	Grade	Case Qty
Stikit™ Discs				
81000305	00305	5" No Hole	180C	4 Rolls
81000306	00306	5" No Hole	150C	4 Rolls
81000307	00307	5" No Hole	120C	4 Rolls
81000308	00308	5" No Hole	100C	4 Rolls
81000309	00309	5" No Hole	80C	4 Rolls
Hookit™ Discs				
81001763	01763	5" No Hole	180C	4 Boxes
81001764	01764	5" No Hole	150C	4 Boxes
81001765	01765	5" No Hole	120C	4 Boxes
81001766	01766	5" No Hole	100C	4 Boxes
81001767	01767	5" No Hole	80C	4 Boxes



Stikit™ Gold Film Disc Roll 255L, Engineered Use Aluminum Oxide, Film, Open Coat

5" & 6" Stikit™ Discs

- ♦ Aluminum oxide — strong, flexible, tear resistant film backing.
- ♦ Provides sharp cut, durability, outstanding finish.
- ♦ Longer, heat-resistant life.
- ♦ Fre-cut coating resists loading.
- ♦ Convenient disc roll form.
- ♦ Also available in 6".
- ♦ 5" Stikits™ are 125 discs per roll, 6" Stikits™ are 75 per roll.



5" Hookit™ Discs

- ♦ Aluminum oxide — strong, flexible, tear resistant film backing.
- ♦ "Gold Color" film backing provides sharp cut, durability, outstanding finish.
- ♦ Load resistant coating.
- ♦ Longer life.
- ♦ Grades 100 and finer are 100 discs per box, grade 80 are 75 discs per box.

Item #	Mfg Part#	Size	Grade	Case Qty
--------	-----------	------	-------	----------

5" Stikit™ Discs

81082466	82466	5" No Hole	220	4 Rolls
81082467	82467	5" No Hole	180	4 Rolls
81082468	82468	5" No Hole	150	4 Rolls
81082469	82469	5" No Hole	120	4 Rolls
81082470	82470	5" No Hole	100	4 Rolls
81082471	82471	5" No Hole	80	4 Rolls

6" Stikit™ Discs

81001328	01328	6" No Hole	220	6 Rolls
81001329	01329	6" No Hole	180	6 Rolls
81001330	01330	6" No Hole	150	6 Rolls
81001331	01331	6" No Hole	120	6 Rolls
81001332	01332	6" No Hole	100	6 Rolls
81001333	01333	6" No Hole	80	6 Rolls

5" Hookit™ Discs

81000962	00962	5" No Hole	220	4 Boxes
81000963	00963	5" No Hole	180	4 Boxes
81000964	00964	5" No Hole	150	4 Boxes
81000965	00965	5" No Hole	120	4 Boxes
81000966	00966	5" No Hole	100	4 Boxes
81000967	00967	5" No Hole	80	4 Boxes

Stikit™ Disc 900DZ Purple, High Performance, Cloth Ceramic Mineral, J-Weight, Open Coat

- ♦ Ceramic mineral—J-weight—open coat.
- ♦ Premium, durable, long lasting Cubitron™ mineral.
- ♦ Flagship of the Stikit™ line.
- ♦ Flexible, tear resistant cloth.
- ♦ 3M™ Xodust™ reduces static.
- ♦ Individual discs with liner.
- ♦ 50 discs per box, 5 boxes per case.



Item #	Mfg Part#	Size	Grade
81049644	49644	5" No Hole	220
81049642	49642	5" No Hole	180
81049643	49643	5" No Hole	150
81049641	49641	5" No Hole	120
81049640	49640	5" No Hole	100
81049639	49639	5" No Hole	80

Disc Rolls, 236U - Paper, Engineered Use Aluminum Oxide, C-Weight, Open Coat

- ♦ Aggressive cut and long life makes this product desirable for high production operations, and general purpose applications. Premium aluminum oxide mineral on a durable C-weight paper backing, with load resistant coating.
- ♦ Available with Hookit™ attachment system or Stikit™ application.
- ♦ Stocked in grades 100-320.
- ♦ 5" Stikit™ discs 100 per roll.



Item #	Mfg Part#	Size	Grade	Case Qty
--------	-----------	------	-------	----------

5" Hookit™ II Discs

81086396	86396	5" No Hole	180	250
81086395	86395	5" No Hole	150	250
81086394	86394	5" No Hole	120	250
81086393	86393	5" No Hole	100	250

5" Stikit™ Discs

81086493	86493	5" No Hole	220	4 Rolls
81086492	86492	5" No Hole	180	4 Rolls
81086491	86491	5" No Hole	150	4 Rolls
81086490	86490	5" No Hole	120	4 Rolls
81086489	86489	5" No Hole	100	4 Rolls

McKILLICAN

Stikit™ Disc 300D - Cloth, Engineered Use Aluminum Oxide, J-Weight, Open Coat

- ♦ Aluminum oxide, J-weight cloth, non-loading open coat.
- ♦ Excellent for all types of wood sanding.
- ♦ Flexible cloth backing provides excellent durability.
- ♦ Open coat resists loading.
- ♦ Individual discs with liners.
- ♦ 50 discs per box.



Item #	Mfg Part#	Size	Grade
81050455	50455	5" No Hole	220
81050454	50454	5" No Hole	180
81050453	50453	5" No Hole	150
81050452	50452	5" No Hole	120
81050451	50451	5" No Hole	100
81050450	50450	5" No Hole	80

3M™ Microfinishing Discs, 268L, Film Aluminum Oxide, Resin Bond

- ♦ Available in grades 180, 150, 120, 100, 80, 60, 50, 40, 30, 15 and 9 microns.
- ♦ A premium product without Fre-cut designed for water based finish applications where contamination is a concern. Works well on paint, metal and solid surface materials.
- ♦ Premium aluminum oxide mineral for extended life and good cut.
- ♦ Resin over resin bond for long life.
- ♦ Durable film backing for long life, improved cut, fine finish, and wet applications.
- ♦ Micron grading for a consistent, uniform and repeatable finish.
- ♦ 50 discs per box, 10 boxes per case.



Item #	Mfg Part#	Size	Grade
81014975	14975	5" No Hole	60 micron
81076975	76975	5" No Hole	30 micron

3M™ Microfinishing Discs, 366L, Film Aluminum Oxide, Resin Bond, Fre-cut Coating

3M™ Fre-cut Microfinishing Film 366L:

- ♦ Available in grades 180, 150, 120, 100, 80, 60, 50, 40, 30, 15 and 9 microns.
- ♦ A premium product with Fre-cut, designed for dry sanding operations on wood, metal, plastic, fiberglass, paint, primer and solid surface materials.
- ♦ Premium aluminum oxide mineral for extended life and good cut.
- ♦ Resin over resin bond for long life.
- ♦ Durable film backing for long life, improved cut and a superior finish.
- ♦ Fre-Cut coating for load resistance on soft materials.
- ♦ Micron grading for a consistent, uniform and repeatable finish.
- ♦ PSA discs are 125 per roll, Hookits™ are 250 discs per case.



Item #	Mfg Part#	Size	Grade	Case Qty
Hookit™ II				
81050187	50187	5" No Hole	100 micron	250
81050170	49723	5" No Hole	60 micron	250
81054592	54592	5" No Hole	30 micron	250
PSA				
81084180	84184	5" No Hole	150 micron	4 Rolls
81084182	84182	5" No Hole	100 micron	4 Rolls
81084184	84180	5" No Hole	60 micron	4 Rolls
81084177	84177	5" No Hole	30 micron	4 Rolls

For peak performance, avoid tipping the tool/pad when operating. Best results will be achieved when keeping the pad as flat on the work surface as possible.



Portable Belts 240D, Cloth, General Use Aluminum Oxide, X-Weight, Open Coat

- ◆ An aluminum oxide open coat, non-loading cloth belt constructed on an X-weight, durable cloth backing.
- ◆ Excellent for wood and soft substrates.
- ◆ Resin bonded for heat resistance.
- ◆ Open coating resists loading.
- ◆ 120-60 grade are 10 belts per box.
- ◆ 50 grade are 5 belts per box.
- ◆ All grades are packaged 5 boxes per case.



Item #	Mfg Part#	Size	Grade
3" x 21" Portable Belts			
81027495	27495	3" x 21"	120
81027496	27496	3" x 21"	100
81027497	27497	3" x 21"	80
81027498	27498	3" x 21"	60
81027499	27499	3" x 21"	50
3" x 24" Portable Belts			
81027470	27470	3" x 24"	120
81027471	27471	3" x 24"	100
81027472	27472	3" x 24"	80
81027473	27473	3" x 24"	60
81027474	27474	3" x 24"	50
4" x 24" Portable Belts			
81027460	27460	4" x 24"	120
81027461	27461	4" x 24"	100
81027462	27462	4" x 24"	80
81027463	27463	4" x 24"	60
81027464	27464	4" x 24"	50

Portable Belts Purple 761D, Cloth, High Performance Cubitron™, Y-Weight, Closed Coat

- ◆ Cubitron™ (ceramic aluminum oxide) and premium aluminum oxide blended minerals on a heavy Y-weight, strong, durable cloth backing.
- ◆ Purple color indicates leading edge technology...designed to provide you with the lowest possible manufacturing cost.
- ◆ Closed coat provides improved finish.
- ◆ Film splice allows for the belt to be run bi-directional.
- ◆ Resin bonded for heat resistance.
- ◆ 5 per box, 5 boxes per case.



Item #	Mfg Part#	Size	Grade
3" x 21" Portable Belts			
81081404	81404	3" x 21"	150
81081403	81403	3" x 21"	120
81081402	81402	3" x 21"	100
81081401	81401	3" x 21"	80
81081400	81400	3" x 21"	60
3" x 24" Portable Belts			
81081415	81415	3" x 24"	150
81081414	81414	3" x 24"	120
81081413	81413	3" x 24"	100
81081412	81412	3" x 24"	80
81081411	81411	3" x 24"	60
4" x 24" Portable Belts			
81081433	81433	4" x 24"	120
81081432	81432	4" x 24"	100
81081431	81431	4" x 24"	80
81081430	81430	4" x 24"	60
81081434	81434	4" x 24"	50

Contact a McKillican Sales Representative

Contact a McKillican Sales Representative

for a Hands On Experience with 3M™ products!

for a Hands On Experience with 3M™ products!



McKILLICAN

Stikit™ Disc Hand Pad


- ◆ Hand sanding of wood and metal is easy with Stikit™ discs and disc hand pads.
- ◆ Constructed of neoprene rubber with a nylon cloth face and an elastic hand band on the back.
- ◆ Designed to securely hold the disc, but allow easy removal.
- ◆ 5" in diameter.
- ◆ 20 pads per case, sold individually.



Item #	Mfg Part#	Size
81045188	45188	5" x 1/8"
81045189	45189	5" x 1/4"

3M™ Stikit™ Dust Free Disc Pad 45217

- ◆ For use with 5" diameter Stikit™ dust free discs (5 dust holes Die #500FH).
- ◆ Has medium density foam & 45 degree tapered edge for flexibility.
- ◆ These lightweight, shock-resistant pads with vinyl face (blue) provide good disc adhesion yet allow quick, easy removal.



Item #	Mfg Part#	Size
81045217	45217	5" Stikit™ Disc Pad

Hookit™ II Low Profile Disc Pad 05255


- ◆ Specially designed for use with 5" Hookit™ II Discs. Low profile design provides better leveling and faster removal rates when flat sanding.
- ◆ Pad is made with a medium density foam and has a blunt edge for better durability.
- ◆ 5" x 3/8" - 5/16-24 external, 10 per case, sold individually.



Item #	Mfg Part#	Size
81005275	05275	5" x 3/4" x 5/16"-24
81005276	05276	5" x 3/4" x 5/16"-24
81005575	05575	5" x 3/4" x 5/16"-24

3M™ Hookit™ Disc Pad

- ◆ For use with 5 inch diameter Hookit™ discs.
- ◆ Made with a resilient backing plate assembly and a medium density foam for durability.
- ◆ Fits random orbital sanders with 5/16-24 internal thread.



Item #	Mfg Part#	Size
81005775	05775	5" Hookit Disc Pad

TECH TIP: Stikit™ Disc Finish Life Characteristics

Best finish
(comparing grade 180 on wood, least amount of swirl marks)

Longest Life
(as it relates to the mineral dulling, comparing grade 180)

↑ 415U
316U
214U
216U
236U
255L
735U
734U
300D
900DZ ↓

↑ 900DZ
734U
735U
300D
255L
236U
216U
214U
316U
415U ↓

Coarsest finish

Least Life



Hookit™ II Trizact™ Film 268XA Microfinishing, Film Aluminum Oxide, Resin Bond, Fre-cut Coating Trizact™

3M™'s unique Trizact™ film abrasives can help you generate superior finishes on solid surface material, with fewer processing steps, in about half the time of other abrasives. Trizact™ film consists of precisely shaped pyramids containing micron graded mineral. As the abrasive is used, the tops of the pyramids wear away, continually exposing fresh abrasive. This ensures a consistent cut rate throughout the long life of Trizact™ film.



3M™ Trizact™ Hookit™ II Film Discs —268XA:

- ♦ Available in grades A35, A10, A5.
- ♦ Trizact™ film abrasive, a premium product utilizing 3M™'s Microreplication technology.
- ♦ Premium mineral for extended life and good cut.
- ♦ Microreplicated surface for an extremely consistent cut rate and finish.
- ♦ Flexible film backing for durability, improved cut, and wet applications.
- ♦ Saves time — achieve desired finish in less than half the time of other methods.
- ♦ Used for final polishing, fewer processing steps.
- ♦ Long abrasive life — 8 to 10 times longer than other abrasives.
- ♦ More effective surface leveling — flatter finish, eliminates orange peel.
- ♦ Eliminates compounds and buffing for most finishes.
- ♦ Minimizes dust generation.
- ♦ Requires little water — can use on site.
- ♦ Simplifies surface maintenance, easy touch-ups — even on high gloss finishes.
- ♦ Individual discs with liner.
- ♦ 25 discs per box, 4 boxes per case.

Item #	Mfg Part#	Size	Grade
5" Trizact™ Discs			
81049962	49962	5" No Hole	Green A35
81049963	49963	5" No Hole	Blue A10
81049971	49971	5" No Hole	Orange A5
6" Trizact™ Discs			
81050006	50006	6" No Hole	Green A35
81050047	50047	6" No Hole	Blue A10
81050061	50061	6" No Hole	Orange A5

Stikit™ Sanding Roll 415U, Paper, General Use Silicon Carbide, A-Weight Paper, Fre-cut Coating

3M™ Stikit™ Vibrator Sander Roll 415U, 4-1/2 in x 10 yard, paper:

- ♦ Stikit™ sheet rolls are one long continuous strip of abrasive with the adhesive already applied.
- ♦ Silicon carbide mineral coated on a durable A-weight paper backing with a load resistant coating.
- ♦ This product is used for hand or light portable tool sanding of wood, sealer, varnish and lacquer.
- ♦ Convenient roll form.
- ♦ 10 rolls per case.
- ♦ Sold individually.



Item #	Mfg Part#	Size	Grade
81000399	00399	4-1/2" x 10 Yd.	220
81000398	00398	4-1/2" x 10 Yd.	180
81000643	00643	4-1/2" x 10 Yd.	150
81000397	00397	4-1/2" x 10 Yd.	120
81000396	00396	4-1/2" x 10 Yd.	100
81000395	00395	4-1/2" x 10 Yd.	80

Stikit™ Gold Sheet Roll 216U, Paper, Engineered Use Aluminum Oxide, A-Weight

- ♦ An aluminum oxide sheet roll constructed on an A-weight light paper backing.
- ♦ Primary uses: metalworking, woodworking.
- ♦ 4-1/2" x 20 Yard & 2-3/4" x 45 yard rolls.
- ♦ Sold individually.



Item #	Mfg Part#	Size	Grade	Case Qty
81002596	02596	2-3/4" x 45 Yd.	P150	10
81002695	02695	4-1/2" x 20 Yd.	P150	6
81002696	02696	4-1/2" x 20 Yd.	P120	6



McKILLICAN

Stikit™ Refill Roll System Sanding Blocks and Refill Rolls

Stikit™ Refill Roll System is designed for your comfort and utility.

The sanding blocks are made of tough plastic for long life and durability. They allow you to sand into corners with the flat end and into curved or contoured areas with the rounded end. When the abrasive on the surface is used up, simply peel back the used portion, and pull down on the roll end to expose fresh abrasive.



- ♦ The abrasive used is 3M™'s Stikit™ 415U/415N, General Use, paper with a silicon carbide coated on an A-weight paper backing with a Fre-cut coating to reduce loading.
- ♦ Sanding blocks are made of a tough plastic for long life and durability. Sand into corners with the flat end. The cushioned back-up pad is durable and holds the abrasive firmly in place. Discover their versatility in top coat sanding, sealer and whitewood sanding, paint repair areas and more.
- ♦ Refill rolls are available in various sizes and grades.
- ♦ 50 rolls per case.
- ♦ 6 sanding blocks per case.

Item #	Mfg Part#	Size	Grade
Stikit™ Sanding Blocks			
81045203	45203	2-1/2" Wide	
81045204	45204	3-1/4" Wide	
Refill Abrasive Rolls (415U)			
81016283	16283	2-1/2" x 95"	220
81016284	16284	2-1/2" x 85"	180
81016285	16285	2-1/2" x 80"	150
81016286	16286	2-1/2" x 70"	120
81016287	16287	2-1/2" x 55"	100
81016291	16291	3-1/4" x 95"	220
81016292	16292	3-1/4" x 85"	180
81016293	16293	3-1/4" x 80"	150
81016294	16294	3-1/4" x 70"	120
81016295	16295	3-1/4" x 55"	100
Refill Abrasive Rolls (415N)			
81016288	16288	3-1/4" x 125"	320
81016289	16289	3-1/4" x 95"	280

Silicon Carbide Paper Sheets, 415U, General Use A-Weight, Open Coat

415U Abrasive Sheets, General Use:

- ♦ A silicon carbide sheet constructed on an A-weight, light paper backing.
- ♦ General purpose for whitewood and sealer sanding.
- ♦ Surface treated with special Fre-cut coating to resist clogging and extend abrasive life.
- ♦ 100 per sleeve, 10 sleeves per case.




Item #	Mfg Part#	Size	Grade
81014190	14190	9" x 11"	320
81014188	14188	9" x 11"	280
81014186	14186	9" x 11"	240
81014183	14183	9" x 11"	220
81014181	14181	9" x 11"	180
81014177	14177	9" x 11"	120
81014175	14175	9" x 11"	100

Production Sheet, 336U, Engineered Use Aluminum Oxide, C-Weight

3M™ Production Sheet, 336U:

- ♦ Use for rough featheredging. Could be used for final sanding of plastic filler and putty. For non-critical, short-term application.
- ♦ Aluminum oxide mineral on a C-Weight paper.
- ♦ 100 per sleeve, 5 sleeves per case.




Item #	Mfg Part#	Size	Grade
81002112	2112	9" x 11"	150
81002113	2113	9" x 11"	120
81002114	2114	9" x 11"	110
81002115	2115	9" x 11"	80



Garnet Paper Sheets, 435N, General Use D-Weight, Open Coat

- ◆ Silicone Carbide on a C-weight paper.
- ◆ Open coat resists loading.
- ◆ Choice of many cabinet makers and woodworkers.
- ◆ 9" x 11" are 100 per sleeve, 10 sleeves per case.
- ◆ 4-1/2" x 11" are 200 per sleeve, 10 sleeves per case.




Item #	Mfg Part#	Size	Grade
9" x 11" Sheets			
81002353	2353	9" x 11"	180
81002354	2354	9" x 11"	150
81002355	2355	9" x 11"	120
81002356	2356	9" x 11"	100
4-1/2" x 11" Sheets			
81010372	10372	4-1/2" x 11"	120
81010373	10373	4-1/2" x 11"	100

3M™ Paper Sheets 405N, Engineered Use Silicon Carbide, A-Weight, Open Coat

3M™ Paper Sheets 405N:

- ◆ A-weight Paper, open coat.
- ◆ Ideal for dry sanding between coats of varnish and other wood finishes.
- ◆ Provides exceptional finishes and excellent conformability for contour sanding.
- ◆ Silicon carbide cuts fast and satin smooth.
- ◆ 100 per sleeve, 10 sleeves per case.



Item #	Mfg Part#	Size	Grade
81010243	10243	9" x 11"	320
81010244	10244	9" x 11"	280
81010246	10246	9" x 11"	220
81010247	10247	9" x 11"	180

3M™ Gold Sheet Sandpaper 216U, Engineered Use Aluminum Oxide, A-Weight

3M™ Gold Sheet 216U, 9" x 11" Sandpaper:

- ◆ Aluminum oxide sheet constructed on an A-weight light paper backing.
- ◆ Features an anti-loading stearate coating.
- ◆ Provides an aggressive open coat material.
- ◆ Designed for final hand or machine sanding of wood, also serves well for finishing, sealer sanding and defect repair.
- ◆ 50 sheets per sleeve, 5 sleeves per case.



Item #	Mfg Part#	Size	Grade
81002441	02541	9" x 11"	320
81002442	02542	9" x 11"	280
81002444	02544	9" x 11"	220
81002445	02545	9" x 11"	180
81002446	02546	9" x 11"	150
81002447	02547	9" x 11"	120
81002448	02548	9" x 11"	50

*Perseverance, ingenuity
and creativity have
made 3M™'s first 100
years a century of
success.*

Visit them on the web:


www.3m.com

McKILLICAN

Wetordry™ 411Q / 413Q Paper Sheets, High Performance Silicon Carbide, A-Weight

3M™ Wetordry™ 411Q / 413Q Paper Sheets:

- ♦ Used in wet sanding, prepping and blending surrounding area. Designed for wet or dry sanding of wood coatings that require a fine finish.
- ♦ Silicon carbide on an A-weight paper.
- ♦ Excellent conformability.
- ♦ 411Q offers a better finish, 413Q provides a better cut.
- ♦ 50 per sleeve, 10 sleeves per case.




Item #	Mfg Part#	Size	Grade
411Q - Better Finish			
81002000	02000	9" x 11"	600
413Q - Better Cut			
81002002	02002	9" x 11"	400
81002004	02004	9" x 11"	320
81002007	02007	9" x 11"	220

Full Size Sanding Sponge CP-002A / CP-001A, General Use Abrasive on Four Sides

3M™ Full Size Sanding Sponge is ideal for dry or wet sanding of wood, paint, metal, plastic and drywall.

- ♦ When finished, simply rinse and reuse. Conformable, comfortable, and flexible.
- ♦ Available in medium (CP-002A) and fine (CP-001A) grade.
- ♦ Sponge size 3-3/4" x 2-5/8" x 1".
- ♦ 250 sponges per case.



Item #	Mfg Part#	Grade
80806967	06967	Medium
80806968	06968	Fine



Softback Contour Surface Sanding Sponges, Engineered Use Abrasive on One Side

3M™ Softback Contour Surface Sanding Sponges are ideal for sanding wood, paint, metal, plastic and drywall. The contoured sponge can be used for either dry or wet sanding and can be rinsed and reused. Extremely flexible with a softback.

- ♦ Available in medium, fine and super-fine.
- ♦ Abrasive on one side only.
- ♦ Pad size 5-1/2" x 4-1/2" x 1/2"
- ♦ 250 pads per case.



Item #	Mfg Part#	Grade
80806964	06964	Super Fine
80806965	06965	Fine
80806966	06966	Medium

Scotch-Brite™ 7440 Series Hand Pads

The world's leading surface conditioning hand pads, Scotch-Brite™ brand hand pads outperform steel wool, wire brushes and other non-woven hand pads. Can be used for cleaning, scuffing, deburring and finishing. Cut fast and leave a more consistent finish than other abrasives. Will never rust and can be used with water or solvents.



- ♦ Scotch-Brite™ Maroon 7447 is a general purpose hand pad for scuff sanding, cleaning, finishing and deburring. It is used for car reconditioning, cleaning upholstery, machinery, door pads chrome. Can also be used to deburr metals and ceramics.
- ♦ Scotch-Brite™ Gray 7448 is an ultra fine hand pad that is ideal for cosmetic cleaning and creating consistent finishes.
- ♦ 6" x 9" pad size, 20 pads per box, 60 pads per case.

Item #	Mfg Part#	Type
80804028	04028	Grey 7448
80804029	04029	Maroon 7447



Scotch® Solvent Resistant Masking Tape #2040

- ◆ This is a high adhesion tape that is ideal for masking vinyl cove moulding, grout and mortar, carpet and cloth. It can also be used in cool temperature situations.
- ◆ This tape is for interior and exterior use and can be cleanly removed for up to one day.



Item #	Mfg Part#	Size	Case Qty
80802991	02991	3/4" x 60 Yd.	48
80802992	02992	1" x 60 Yd.	36
80804365	04365	2" x 60 Yd.	24

Scotch® Painters' Masking Tape #2050 For Trim & Woodwork

- ◆ This tape can be removed cleanly for up to 3 days. It is a medium-high adhesion tape ideal for use on previously painted or varnished surfaces such as window, door and wall trim and for masking cabinets, carpet, and vinyl flooring.



Item #	Mfg Part#	Size	Case Qty
80805617	05617	3/4" x 60 Yd.	48
80805618	05618	1" x 60 Yd.	36
80805620	05620	2" x 60 Yd.	24

Paper Masking Tape #2214, General Use

- ◆ Natural, 5.3 mils (0.135 mm) crepe paper with a rubber adhesive.



Item #	Mfg Part#	Size	Case Qty
80826074	26074	3/4" x 60 Yd.	48
80826075	26075	1" x 60 Yd.	24
80826077	26077	2" x 60 Yd.	24

Tartan™ Utility Filament Tape #8934


- ◆ Transparent tape with polypropylene film backing, reinforced with glass yarn filaments.
- ◆ Tensile strength suited for light-duty applications.
- ◆ Nick and abrasion-resistance and good handling for utility bundling, reinforcing, and pallet unitizing.



Item #	Mfg Part#	Size	Case Qty
80886519	86519	3/4" x 60 Yd.	48
80886520	85620	1" x 60 Yd.	36
80886521	86521	2" x 60 Yd.	24

Scotch® Box Sealing Tape #371 Clear

- ◆ A general use packaging tape for light to medium-duty packaging applications.
- ◆ The conformable film backing and consistent pressure sensitive hot melt synthetic rubber resin adhesive system is suitable for a wide range of environments and applications.



Item #	Mfg Part#	Size	Case Qty
80815873	15873	48mm x 100M	36

Scotch® Safe-Release™ Painters' Masking Tape #2090

For Painted & Stained Surfaces Scotch® Safe-Release Painters' Masking Tape for painted surfaces and glass. Removes cleanly without adhesive transfer or surface damage for up to 14 days-even in direct sunlight.

- ◆ Ideal for painted walls and trim, woodwork, glass and metal.
- ◆ Blue color.



Item #	Mfg Part#	Size	Case Qty
80803680	03680	3/4" x 60 Yd.	48
80803681	03681	1" x 60 Yd.	36
80803683	03683	2" x 60 Yd.	24

N95 8210 Particulate Respirator Electrostatic

- ◆ Reliable worker protection against certain non-oil based particles.
- ◆ Suitable for grinding, sanding, sweeping, bagging and other dusty operations.
- ◆ 20 per box, 8 boxes per case.



Item #	Mfg Part#	Case Qty
80817514	46457	8 Boxes

N95 8511 Particulate Respirator Exhalation Valve and Nose Clip

- ◆ Uniquely designed to help provide protection. It is ideally suited for work settings that involve heat, humidity, or long periods of wear.
- ◆ With Cool Flow Valve & Noseclip.
- ◆ 10 per box, 8 boxes per case.



Item #	Mfg Part#	Case Qty
80854343	54343	8 Boxes

N95 9211 Particulate Respirator Flat Folded, Individual Pack

The 9211 is a breakthrough in comfort and convenience. This three-panel respirator with innovative design is ideally suited for work settings that involve heat, humidity, or long periods of wear.

- ◆ With Cool Flow Valve & Noseclip.
- ◆ Comes packaged individually folded flat.
- ◆ 10 per box, 12 boxes per case.



Item #	Mfg Part#	Case Qty
80866262	66262	12 Boxes

N95 8000 Particle Respirator Light Duty

- ◆ The lightweight construction of this respirator makes it an economical and effective choice for a variety of dusty applications.
- ◆ 30 masks per box, 12 boxes per case.



Qty Item #	Mfg Part#	Case
80808500	8000	12 Boxes

6000 Series Full Face Respirator, Reusable


- ◆ 6800, Medium, Full face
- ◆ Use with 3M™ Filters 2000 Series, 3M™ Filter 7093, P100, 3M™ Cartridges 6000 Series, or 3M™ Dual Airline systems against a variety of gases, vapors and particulate.



Item #	Mfg Part#	Case Qty
80854146	54146	4

6000 Series Half Face Respirator, Reusable

- ◆ Lightweight durable material enhances comfort.
- ◆ Economical solution to respiratory protection.
- ◆ For use with interchangeable 3M™ bayonet-style cartridges and filters.
- ◆ Available in 3 sizes to fit most faces.



Item #	Mfg Part#	Size
80821618	6200	Medium
80821619	6300	Large

5P71 Particulate Filter


- ◆ NIOSH approved P95 particulate filter for environments containing certain oil and non-oil based particles.
- ◆ Use with 3M™ 6000 Series Respirators and Cartridges with the 3M™ 501 Filter Retainer.



Item #	Mfg Part#	Case Qty
80854331	54331	100

501 Prefilter Retainer

- ◆ For use on 3M™ 6000 Series Half Facepiece Respirator.
- ◆ This retainer holds the 5P71 and 5N11 filters onto the 6001 cartridge.
- ◆ Sold by each.



Item #	Mfg Part#	Case Qty
80817668	17668	20

6001 Organic Vapor Cartridge

- ◆ NIOSH approved against certain organic vapors.
- ◆ Use with 3M™ 6000 Series Half and Full Facepieces.
- ◆ 2 per package.



Item #	Mfg Part#	Case Qty
80821674	21674	30

3M™ 1700 Series Protective Eyewear Black Frame, Clear Lens

- ◆ Stylish safety glasses that help provide comfortable eye protection.
- ◆ Wraparound style frames.
- ◆ Light weight.
- ◆ Low profile design.



Item #	Mfg Part#	Case Qty
80837103	37103	24

3M™ 1750 Series Protective Eyewear Black Frame, Clear Lens

- ◆ Stylish safety eyewear with a contemporary appearance. Lightweight and shaped to fit facial contours. Comfortable fit afforded by gel-like nose piece and soft temples.
- ◆ Polycarbonate lens offers 99% UV protection, and has anti-scratch coating.
- ◆ Meets ANSI Z87.1-2003 standard for high impact protection.



Item #	Mfg Part#	Case Qty
80837113	37113	24

1100 Reusable Foam Ear Plugs Expandable

- ◆ Soft foam seals the ear and tapered shape to fit the ear canal comfortably.
- ◆ Smooth, dirt resistant surface for hygiene.
- ◆ Packaged in individual pairs.
- ◆ Recommended for high noise situations (up to 100dBA TWA).
- ◆ 200 per box, sold by the box.



Item #	Mfg Part#	Case Qty
80829008	29008	1 Box

1270 Reusable Ear Plug Corded

- ◆ This ear plug offers high quality hearing protection and is lightweight, comfortable and easy to use for workers in a wide variety of industrial and commercial applications.
- ◆ This reusable, multi-flange designed ear plug fits securely in the ear canal and provides reliable protection. The bright orange color provides high visibility to allow employers to identify employees wearing their ear plugs. Soft cloth cord helps prevent loss of ear plugs. Can be washed and reused many times.
- ◆ 100 per box, sold by the box.



Item #	Mfg Part#	Case Qty
80866228	66228	1 Box

1440 Ear Muff, General Use

- ◆ Lightweight, with a soft padded headband for extra comfort. Sliding tension adjustment system to help maintain a good fit. Recommended for moderately high noise situations (up to 95 dBA TWA).
- ◆ 1442 Replacement parts kit includes one pair of ear cushions and one pair of molded noise suppression inserts.



Item #	Mfg Part#	Type
80829334	29334	Ear Muff



3M™ Scotch-Weld™ Polyurethane Reactive (PUR) Easy Adhesive System

The hand-held 3M™ Scotch-Weld™ PUR Easy Adhesive Applicator and moisture-curing polyurethane adhesives put powerful production capability in your assembly operation. This single system combines benefits typical of two technologies.

1. Production benefits typical of hot melt adhesive technology

- ◆ Fast initial set and handling strength in as few as 5 seconds help eliminate or minimize fixturing, and speed assembly.
- ◆ One-component, moisture-curing eliminates metering, mixing and curing equipment. Helps simplify production as well as save energy.
- ◆ 100% solids gives you a low-VOC adhesive system with no drying equipment and no attack on plastics.

2. Performance benefits typical of structural adhesive technology

- ◆ Greater than 1000 lbs. of overlap shear strength within minutes exceeds strength of conventional hot melt.
- ◆ Eliminates nails and other mechanical fasteners in many applications to help save finishing steps.
- ◆ Versatile chemistry bonds a wide variety of substrates, including wood, plastics, rubber, dissimilar materials, and plasticized vinyls.
- ◆ Trigger a fast, easy, and neat bead of adhesive from self-contained hand-held applicator at up to 11 pounds per hour.
- ◆ Up to 2-1/2 minutes open time allows positioning of substrates.
- ◆ Thin, flexible bond lines help improve the fit, appearance and durability of your product. When two pieces of oak are edge-spliced and stained (below), the bond line is hard to find.




Adhesives

Item#	Product	Cartridges/Case
81058348	17005	5
81057404	17010	5
81057396	17030	5
81057402	17060	5

Applicator & Accessories

Item#	Description	Qty
81057400	3M™ Scotch-Weld™ PUR Easy Applicator	1/box
81057405	Pre-heater	1/box
81058300	Nozzles	5/bag & 10 bags/case



The bond line is invisible.

In this test & many other applications, the substrate fails before the bond.



Scotch-Grip™ #10 Contact Adhesive

- ◆ A neutral, brushable, heat resistant adhesive that develops strength rapidly and provides good creep resistance and low soak-in on porous surfaces.
- ◆ For bonding many decorative laminates, aluminum, steel, plywood, panels, wood and wood veneer, masonry, rubber, canvas and other porous and non-porous materials to each other or to themselves.
- ◆ It dries rapidly to a water and heat resistant bond.



Item #	Mfg Part#	Size	Case Qty
8095500	20272	1 Qt.	12
8095600	20274	1 Gal.	4
8095700	20276	5 Gal.	1

Fastbond™ 30 Contact Adhesive Non-Flammable

Fastbond™ 30 has been tested and approved for use by the Woodwork Institute of California under the provisions of ANSI/HPMA HP 1983 for Type II adhesive and the heat resistance test set forth in its Manual of Millwork.

- ◆ It has high immediate bond strength and long bonding range. It is non-flammable in the wet state, post-formable and heat resistant. It bonds most foamed plastics, plastic laminate, wood, plywood, wood veneer, and canvas to themselves and to each other.
- ◆ Available in Green and Neutral.



Item #	Mfg Part#	Size	Case Qty	Color
Green				
8096300	21185	1 Qt.	4	Green
8096400	21186	1 Gal.	4	Green
8096500	21187	5 Gal.	1	Green
Neutral				
8096000	21180	1 Qt.	4	Neutral
8096100	21181	1 Gal.	4	Neutral
8096200	21182	5 Gal.	1	Neutral

5-Way Penetrant™ Multi-Purpose Lubricant

- ◆ A multi-purpose product that is effective as a demineralizer - displaces moisture and dries out electrical apparatus. Helps prevent shorting & increases conductivity.
- ◆ Spreads a thin, even film that penetrates the pores of the surface to inhibit rust and corrosion.
- ◆ Frees rusted, frozen bolts, nuts, etc.
- ◆ An excellent lubricant for delicate machines or precision instruments. Also ideal as a tapping lubricant for stainless steel and aluminum.



Item #	Mfg Part#	Size	Case Qty
8097100	21305	17 Oz.	12

Silicone Lubricant

- ◆ Formulated with a silicone polymer. Will not freeze at -28°F (-3°C) or at 350°F (177°C). Lubricate moving parts, eliminate squeaks caused by friction, prevents sticking and freezing, protects against rust.



Item #	Mfg Part#	Size	Case Qty
8098500	85822	13.25 Oz.	12

Super 77™ Spray Adhesive

- ◆ High tack, high coverage and fast drying transparent adhesive for permanently attaching foils, carpeting, lightweight foams, paper, cardboard, felt and, cloth to painted or unpainted metals, wood and hardboard.
- ◆ Bonds quickly in 15 seconds and has high initial grab with sufficient open time to allow for positioning of materials.
- ◆ Low VOCs. Does not contain ozone-depleting CFCs.
- ◆ Versatile. Securely bonds many lightweight.



Item #	Mfg Part#	Size	Case Qty
8096800	21210	17 Oz.	12

McKILLICAN

Hi-Strength 90 Spray Adhesive Fast Contact Type Aerosol Adhesive

- ◆ High strength, fast contact strength build-up for many decorative laminates.
- ◆ High contact bond strength, one-minute dry time, high temperature resistance, low misting and variable width spray pattern which lets you spray adhesive where you want.
- ◆ Can be used for decorative laminate bonding to tables, cabinets, shelving and bonding kick plates.



Item #	Mfg Part#	Size	Case Qty
8097700	30023	17.6 Oz.	12

Citrus Base Cleaner

- ◆ Aerosol cleaner which can dissolve and flush away dirt, grease, tar, most non-curing type adhesive films, and similar substances.
- ◆ A citrus oil based cleaner that emulsifies when flushed with water.
- ◆ Contains no petroleum distillates.
- ◆ Can be used to clean and degrease metal parts, motors, tools, printing presses, concrete or almost any dirty or greasy surface.



Item #	Mfg Part#	Size	Case Qty
8097400	76394	18.5 Oz.	12

Auto-Pack Tack Cloth


- ◆ All Purpose Tack Cloth is excellent for cleanup just before painting.
- ◆ Use to remove dirt, lint, dust and sanding particles from metal, plastic, fiberglass and wood.
- ◆ Reusable, stays soft.



Item #	Mfg Part#	Size	Case Qty
80803192	3192	17" x 36"	24

Jet-melt™ Adhesive Adhesive Cartridges

Jet-melt™ adhesives are 100% solid thermoplastic resins. When heated, they become fluid and quickly wet the bonding surface. Upon cooling, they harden and usually reach bond strength in seconds. You can move assemblies immediately to keep production flowing. This helps eliminate clamps, fixturing and drying, and saves time, energy and space. Each adhesive is designed and precisely manufactured for efficiency in certain areas:



- ◆ **3738** is an adhesive used to manually seal corrugated cartons and cases. It has a high delivery rate and long bonding range.
- ◆ **3747** is a general purpose hot melt adhesive for bonding most plastics and wood. It offers good heat resistance, good impact resistance and has a high delivery rate with a moderate bonding range. It also exhibits good heat stability in the Polygun applicators.
- ◆ **3762** is a rapid setting, low viscosity adhesive that exhibits excellent hot tack properties. It can be used for many corrugated paper products.
- ◆ **3792** is a multi-purpose product for wood, fabrics, corrugated and light weight substrates.

Item #	Mfg Part#	Size	Color	Min. Qty
3738 Jet-melt™, General Purpose				
80982610	82610(3738-TC)	5/8" x 2"	Tan	11 lbs
80965262	65262(3738-Q)	1-5/8" x 8"	Tan	11 lbs
3747 Jet-melt™, Tan, Heat Resistant				
8098100	82561(3747-Q)	5/8" x 8"	Tan	11 lbs
3762 Jet-melt™, Tan, Hot-Tack				
80982614	82614(3762-PG)	1" x 3"	Tan	22 lbs
3792 Jet-melt™, Clear, Multi Purpose				
80965263	65263(3792-Q)	5/8" x 8"	Clear	11 lbs
80982589	82589(3792-TC)	5/8" x 2"	Clear	11 lbs
3792 Jet-melt™, Clear, Low Melt				
8098180	82454(3792-LM-Q)	5/8" x 8"	Clear	11 lbs



3M™ Polygun Applicator For use with Standard Jet-melt™

- ◆ 89445 PolygunTC Applicator with Quadrack Converter and Palm Trigger.
- ◆ Designed for standard Jet-melt™ adhesives.
- ◆ Easy to use, simple, rugged construction.
- ◆ Palm trigger design for dispensing of longer sticks.
- ◆ Delivers up to 3.5 pounds of adhesive per hour.
- ◆ Key features include: 10 oz.; 150 watts; 120 VAC voltage; 385°F (196°C); and 5/8" x 2" cartridge size. 12 month warranty. Comes assembled.



3M™ Polygun LT-Q Applicator For use with LM and Q JetMelt™

- ◆ Designed to use with the low-melt version of 3M™ Jet-melt™ adhesives.
- ◆ The Polygun LT delivers up to 2.6 pounds of adhesive per hour, and has a quadrack converter and palm trigger.
- ◆ Uses 5/8" x 8" quadrack adhesive.
- ◆ Includes 12 month warranty.



Item #	Mfg Part#	Case Qty
8091360	89445	1

Item #	Mfg Part#	Case Qty
80989447	89447	1

3M™ PPS™

Paint Preparation System

3M™ PPS™ Paint Preparation System is a unique, closed paint system which eliminates the need for separate mixing cups and filters. Instead, coatings are mixed in a liner bag which carries to a direct filter and is then mounted on the spray gun with a dedicated adapter. As freshly filtered coatings are dispensed, the liner bag collapses, allowing the spray gun to function at any angle. Liner bag and filter are disposable, leaving only the spray gun and adapter to be cleaned. 3M™ PPS™ Paint Preparation System is therefore a cleaner, faster system, safe from outside contamination and offering considerable time and solvent savings on gun and parts cleaning.

- ◆ Up to 70% savings of cleaning solvent.
- ◆ Only one PPS™ cup for mixing and spraying.
- ◆ Closed system - no outside contamination.
- ◆ Faster system - from mixing to disposal.
- ◆ Less operator exposure to solvents and reduction in VOCs.
- ◆ Spray gun functions at any angle.

Item #	Mfg Part#	Description	Size	Case Qty
81016000	16000	Regular Lids & Liners	25 oz.	50
81016001	16001	Cups & Collars		8 Cups
81016010	16010	Carrier		6 Packs
81016019	16019	Liner Dispenser		1
81016024	16024	Large Lids & Liners	30 oz.	25
81016099	16099	Lid Dispenser		1
81037720	37720	Detailing Squeeze Bottle		24
81016003	16003	#2 Adaptor		4
81016015	16015	#8 Adaptor		4





Hands On...

with



Austin • Boise • Dallas • Honolulu • Houston • Las Vegas
Portland • Reno • Sacramento • Salt Lake City
San Francisco • Seattle • Spokane



Calgary • Edmonton • Regina • Saskatoon
Vancouver • Victoria • Winnipeg

McKILLICAN