



3M™ Garnet Paper Sheets, 435N, General Use

D-Weight, Open Coat

3M Garnet Paper Sheets 140N/435N, General Use:

- Garnet mineral on a D-weight paper
- Open coat resists loading
- Choice of many cabinet makers and woodworkers.
- 100 per sleeve, 10 sleeves per case



Mfg Part#	Size	Grade	Item #
-----------	------	-------	--------

9" x 11" Sheets

2353	9 x 11	180	81002353
2354	9 x 11	150	81002354
2355	9 x 11	120	81002355
2356	9 x 11	100	81002356

4-1/2" x 11" Sheets

10372	4-1/2 x 11	120	81010372
10373	4-1/2 x 11	100	81010373



3M™ Silicon Carbide Paper Sheets, 415U/415N, General Use

A-Weight, Open Coat

415U/415N Abrasive Sheets, General Use:

- A silicon carbide sheet constructed on an A-weight, light paper backing.
- General purpose for whitewood and sealer sanding
- Surface treated with special Fre-Cut™ coating to resist clogging and extend abrasive life.
- 100 per sleeve, 10 sleeves per case



Mfg Part#	Size	Grade	Item #
-----------	------	-------	--------

14190	9 x 11	320	81014190
14188	9 x 11	280	81014188
14186	9 x 11	240	81014186
14183	9 x 11	220	81014183
14181	9 x 11	180	81014181
14177	9 x 11	120	81014177
14175	9 x 11	100	81014175




3M™ Tri-M-ite™ Paper Sheets 405N, General Use

Silicon Carbide, A-Weight, Open Coat

3M™ Tri-M-ite™ Paper Sheets 405N, General Use:

- A-weight Paper, open coat
- Ideal for dry sanding between coats of varnish and other wood finishes
- Provides exceptional finishes and excellent conformability for contour sanding
- Silicon carbide cuts fast and satin smooth
- 100 per sleeve, 10 sleeves per case



Mfg Part#	Size	Grade	Item #
-----------	------	-------	--------

10243	9 x 11	320	81010243
10246	9 x 11	220	81010246
10260	4-1/2 x 11	220	81010260




3M Wet or dry™ 411Q/413Q Paper Sheets, General Use

Silicon Carbide, A-Weight

3M™ Wetordry 411Q/413Q Paper Sheets, General Use:

- Used in wet sanding, prepping and blending surrounding area. Designed for wet or dry sanding of wood coatings that require a fine finish.
- Silicon carbide on an A-Weight paper
- Excellent conformability
- 411Q offers a better finish, 413Q provides a better cut.
- 50 per sleeve, 10 sleeves per case



Mfg Part#	Size	Grade	Item #
-----------	------	-------	--------

411Q - Better Finish

2000	9 x 11	600	81002000
2002	9 x 11	400	81002002

413Q - Better Cut

2004	9 x 11	320	81002004
2007	9 x 11	220	81002007



ABRASIVES




3M™ Production Paper Sheets 210N, General Use

Aluminum Oxide, A-Weight, Open Coat

3M™ Production Paper Sheets 210N/336I, General Use:

- Provides exceptional conformability for contour sanding
- An aluminum oxide mineral on an A-weight, light paper backing.
- Open coat, non-loading sheet.
- 100 per sleeve, 10 sleeves per case



Mfg Part#	Size	Grade	Item #
2103	9 x 11	220	81002103
2104	9 x 11	180	81002104
2105	9 x 11	150	81002105
2106	9 x 11	120	81002106
2107	9 x 11	100	81002107




3M Production™ Sheet, 230N/346U, General Use

Aluminum Oxide, C-Weight

3M Production™ Sheet, 230N/346U, General Use:

- Use for rough featheredging. Could be used for final sanding of plastic filler and putty. For non-critical, short-term application.
- Aluminum oxide mineral on a C-Weight paper
- Grades 100, 120 and 150 are 100 per sleeve and 10 sleeves per case
- Grades 60 and 80 are 50 per sleeve and 10 sleeves per case



Mfg Part#	Size	Grade	Item #
2112	9 x 11	150	81002112
2113	9 x 11	120	81002113
2114	9 x 11	100	81002114
2115	9 x 11	80	81002115
2116	9 x 11	60	81002116
2119	9 x 11	36	81002119



3M™ Cloth Sheets 311T, Blue Grit Utility

Aluminum Oxide, J-Weight

3M™ Cloth Sheets 311T, Blue Grit Utility, General Use:

- An aluminum oxide sheet constructed on a J-Weight cloth
- Light and flexible durable cloth backing
- 50 per sleeve, 5 sleeves per case




Mfg Part#	Size	Grade	Item #
2457	9 x 11	150	81002457
2458	9 x 11	120	81002458
2459	9 x 11	100	81002459
2460	9 x 11	80	81002460



Fineflex Flexible Sanding Sheets

9" x 11" Sheets, Paper Back

- FineFlex is a stearate coated abrasive product for dry sanding applications.
- Fineflex has been developed especially for hand sanding of wood, sealers, paint and lacquers.
- The backing is flexible, latex impregnated paper which is ideal for profile sanding.
- Grain adherence is extremely good due to resin bonding.
- A special stearate coating is used to maximize resistance to clogging and loading.
- Silicon carbide grain provides a sharp cut with uniform scratch pattern
- 50 sheets per sleeve, 10 sleeves per case



Mfg Part#	Size	Grade	Item #
-----------	------	-------	--------

Aluminum Oxide

24-101-320	9" x 11"	320	5802640
24-101-240	9" x 11"	240	5802630
24-101-220	9" x 11"	220	5802620
24-101-180	9" x 11"	180	5802610
24-101-150	9" x 11"	150	5802600

Silicon Carbide

24-101-220A	9" x 11"	220	5802540
24-101-150A	9" x 11"	150	5802530
24-101-120D	9" x 11"	120	5802520
24-101-100D	9" x 11"	100	5802510
24-101-80D	9" x 11"	80	5802500



Hookit™ Disc 233U/243U General Use - Paper, Liner & Tab

Aluminum Oxide, C & D-Weight Papers, Fre-cut Coating

Hookit™ Disc 233U/243U General Use - Paper, Liner & Tab:



- Aluminum oxide, non-loading Fre-cut open coat
- 243U features D-weight paper in grades 60-100, 233U features C-weight paper in grades 120-400.
- Excellent for all types of wood sanding
- Durable paper backing offers maximum life
- Open coat resists loading
- Individual discs with pressure-sensitive adhesive liners
- Competitively priced to provide the combination of performance and value you need
- 50 discs per box, 5 boxes per case

Mfg Part#	Size	Grade	Item #
55881	5" No Hole	180	81055881
55880	5" No Hole	150	81055880
55879	5" No Hole	120	81055879
51267	5" No Hole	100	81051267
51266	5" No Hole	80	81051266



Stikit™ Disc 233U/243U General Use - Paper, Liner & Tab

Aluminum Oxide, C & D-Weight Papers, Fre-cut Coating

Stikit™ Disc 233U/243U General Use - Paper, Liner & Tab:



- Aluminum oxide, non-loading Fre-cut open coat
- 243U features D-weight paper in grades 60-100, 233U features C-weight paper in grades 120-400.
- Excellent for all types of wood sanding
- Durable paper backing offers maximum life
- Open coat resists loading
- Individual discs with pressure-sensitive adhesive liners
- Competitively priced to provide the combination of performance and value you need
- 50 discs per box, 5 boxes per case

Mfg Part#	Size	Grade	Item #
55858	5" No Hole	220	81055858

Mfg Part#	Size	Grade	Item #
55857	5" No Hole	180	81055857
55856	5" No Hole	150	81055856
55701	5" No Hole	120	81055701
51276	5" No Hole	100	81051276
51275	5" No Hole	80	81051275
51274	5" No Hole	60	81051274



3M Stikit™ Disc Roll 316U General Use, Paper

Aluminum Oxide, A-Weight, Fre-Cut Coating

Stikit™ Disc Roll 316U General Use, Paper:

- Aluminum oxide, A-weight light paper backer.
- Discs for paint, primer, wood and fiberglass.
- Fre-Cut™ coating resists loading
- Convenient disc roll form
- 100 discs/roll



Mfg Part#	Size	Grade	Item #
1232	5" No Hole	220	81001232
1233	5" No Hole	180	81001233
1234	5" No Hole	150	81001234
1235	5" No Hole	120	81001235
1236	5" No Hole	100	81001236
1237	5" No Hole	80	81001237



Stikit™ Disc 300D General Use - Cloth

Aluminum Oxide, J-Weight, Open Coat

Stikit™ Disc 300D General Use - Cloth:

- Aluminum oxide, J-weight cloth, non-loading open coat
- Excellent for all types of wood sanding
- Flexible cloth backing provides excellent durability
- Open coat resists loading
- Individual discs with liners and 50 discs per box



Mfg Part#	Size	Grade	Item #
50455	5" No Hole	220	81050455
50454	5" No Hole	180	81050454
50453	5" No Hole	150	81050453
50452	5" No Hole	120	81050452
50451	5" No Hole	100	81050451
50450	5" No Hole	80	81050450

ABRASIVES



Stikit™ Dust Free Disc Roll 415N/415U, Paper Silicon Carbide, A-Weight, Fre-cut Coating

Stikit™ Dust Free Disc Roll 415N/415U, A Weight, Paper:

- Friable silicon carbide mineral for best finish.
- Flexible A-weight paper backing for conformability.
- Fre-cut coating for load resistance
- The industry standard for fine finishing
- Grades 320 to 280 are 250 discs per roll , 4 rolls per case, Grades 220 to 150 are 250 discs per roll
- Grades 120 to 80 are 125 discs per roll



Mfg Part#	Size	Grade	Item #
77249	5" No Hole	320	81077249
77247	5" No Hole	280	81077247
77241	5" No Hole	220	81077241
77237	5" No Hole	180	81077237
77234	5" No Hole	150	81077234
77230	5" No Hole	120	81077230
77227	5" No Hole	100	81077227
77223	5" No Hole	80	81077223



Stikit™ Gold Film Disc Roll 255L, Engineered Use Aluminum Oxide, Film, Open Coat

Stikit™ Disc Roll 255L Engineered Use, Film:

- Aluminum oxide — strong, flexible, tear resistant film backing
- Provides sharp cut, durability, outstanding finish
- Longer, heat-resistant life
- Fre-Cut™ coating resists loading
- Convenient disc roll form
- 5" discs are 125 per roll, 4 rolls per case
- 6" discs are 75 per rolls, 4 rolls per case



Mfg Part#	Size	Grade	Item #
<i>5" Stikit Discs</i>			
82463	5" No Hole	320	81082463
82466	5" No Hole	220	81082466
82467	5" No Hole	180	81082467
82468	5" No Hole	150	81082468

Mfg Part#	Size	Grade	Item #
82469	5" No Hole	120	81082469
82470	5" No Hole	100	81082470
82471	5" No Hole	80	81082471

6" Stikit Discs

01328 051131	6" No Hole	220	81001328
01329 051131	6" No Hole	180	81001329
01330 051131	6" No Hole	150	81001330
01331 051131	6" No Hole	120	81001331
01332 051131	6" No Hole	100	81001332
01333 051131	6" No Hole	80	81001333



Stikit™ Film Dust Free Disc Roll 261L, Film Aluminum Oxide, Resin Bond

3M Stikit Dust Free Disc Roll 261L, Film:

- Available in grades 80, P100 – P150.
- A premium product without Fre-Cut, designed for medium duty stock removal on metal and solid surface material.
- Premium aluminum oxide mineral for extended life and good cut
- Resin over resin bond for long life
- Durable film backing for long life, improved cut, fine finish and wet applications
- 250 discs per roll, 2 rolls per case



Mfg Part#	Size	Grade	Item #
81559	5" No Hole	150	81081559
81554	5" No Hole	120	81081554
81557	5" No Hole	100	81081557



Did you know...?

For peak performance, avoid tipping the tool/pad when operating. Best results will be achieved when keeping the pad as flat on the work surface as possible.

Remember—let the tool/abrasive do the work!



Stikit™ Disc 900DZ Purple, High Performance, Cloth

Ceramic Mineral, J-Weight, Open Coat

Stikit™ Disc 900DZ Purple, High Performance, Cloth:



- Ceramic mineral — J weightt. cloth — open coat
- Premium, durable, long lasting Cubitron™ mineral.
- Flagship of the Stikit line
- Flexible, tear resistant cloth
- 3M Xodust™ reduces static
- Individual discs with liner
- 50 discs per box, 5 boxes per case

Mfg Part#	Size	Grade	Item #
49644	5" No Hole	220	81049644
49642	5" No Hole	180	81049642
49643	5" No Hole	150	81049643
49641	5" No Hole	120	81049641
49640	5" No Hole	100	81049640
49639	5" No Hole	80	81049639



3M™ Hookit II Low Profile Disc Pad 05255

- Specially designed for use with 5" Hookit II Discs. Low profile design provides better leveling and faster removal rates when flat sanding.
- Pad is made with a medium density foam and has a blunt edge for edge durability.
- 5" x 3/8" - 5/16-24 External, 10 per case



Mfg Part#	Size	Item #
05275 5"	5X3/4 x 5/16-24	81005275
05276 6"	5X3/4 x 5/16-24	81005276
5575	5X3/4 x 5/16-24	81005575
PN06617	5X3/4 x 5/16-24	81006617



Bulldog Gold PSA Linkrol Sanding Discs

PSA Attachment, Paper Back

- Bulldog Gold is designed for finishing and heavy stock removal.
- The durable aluminum oxide grain delivers a fast, exceptionally long lasting cut.
- High strength resin bonding provides superior grain support.
- Proprietary backing is stronger than other competitive brands using traditional backing.
- A special stearate coating is used to maximize resistance to clogging and loading.
- A uniform, semi open coat design produces an even, consistent scratch pattern.
- 125 discs per roll, 10 rolls per case



Mfg Part#	Size	Grade	Item #
23-314-320B	5"	320	5803260
23-314-220B	5"	220	5803250
23-314-180B	5"	180	5803240
23-314-150B	5"	150	5803230
23-314-120B	5"	120	5803220
23-314-100B	5"	100	5803210
23-314-80B	5"	80	5803200



Royal PSA Linkrol Sanding Discs

PSA Attachment, Paper Back

- State-of-the-art Progressive Bond™ coated abrasives technology.
- Grit for grit, the finest finishing disc available.
- Unmatched load resistance
- Flexibility like no other - yet tough, with super edge wear.
- Full resin bonding for strength and durability and a special non-loading stearate.
- 100 discs per roll, 10 rolls per case

Mfg Part#	Size	Grade	Item #
25-342-320	6"	320	5803460
25-342-220	6"	220	5803450
25-342-180	6"	180	5803440
25-342-150	6"	150	5803430
25-342-120	6"	120	5803420
25-342-100	6"	100	5803410
25-342-80	6"	80	5803400



ABRASIVES

MIRKA

Royal Grip Sanding Discs

Grip Attachment, Paper Back

- State-of-the-art Progressive Bond™ coated abrasives technology.
- Grit for grit, the finest finishing disc available.
- Unmatched load resistance
- Flexibility like no other - yet tough, with super edge wear.
- Full resin bonding for strength and durability and a special non-loading stearate.
- Flexible B-weight paper (grades 320 to 100) or D-weight (grade 80)
- 100 discs per box, 10 boxes per case



Mfg Part#	Size	Grade	Item #
25-612-320B	5"	320	5803060
25-612-220B	5"	220	5803050
25-612-180B	5"	180	5803040
25-612-150B	5"	150	5803030
25-612-120B	5"	120	5803020
25-612-100B	5"	100	5803010
25-612-80B	5"	80	5803000

MIRKA

Abrasive Disc Backup Pads

Grip Faced & PSA Vinyl Faced

- Mirka back-up pads are top quality molded polymer construction.
- PSA back-up pads: The specially treated vinyl pad face offers excellent adhesion and ease of removal without paper delamination or tearing.
- Grip back-up pads: Hook face for use with our Grip backed disc
- 10 pads per case



Mfg Part#	Size	Item #
<i>Vinyl Faced (PSA) Backup Pads</i>		
105	5"	5800500
106	6"	5800560
<i>Grip Faced Backup Pads</i>		
105GG	5"	5800510
106GG	6"	5800570
<i>PSA to Grip Conversion Pads</i>		
1105	5"	5800580

3M

3M 268L Micro Finishing Discs, Film

Aluminum Oxide, Resin Bond

3M 268L Micro Finishing Film:

- Available in grades 180, 150, 120, 100, 80, 60, 50, 40, 30, 15 and 9 microns.
- A premium product without Fre-Cut designed for water based finish applications where contamination is a concern. Works well on paint, metal and solid surface materials
- Premium aluminum oxide mineral for extended life and good cut
- Resin over resin bond for long life
- Durable film backing for long life, improved cut, fine finish, and wet applications
- Micron grading for a consistent, uniform and repeatable finish
- 50 discs per box, 10 boxes per case



Mfg Part#	Size	Grade	Item #
14975	5" No Hole	60 mic	81014975
76975	5" No Hole	30 mic	81076975

3M

Hookit II Micro Finishing Film 366L

Aluminum Oxide, Resin Bond, Fre-cut Coating

3M Fre-Cut Microfinishing Film 366L:

- Available in grades 180, 150, 120, 100, 80, 60, 50, 40, 30, 15 and 9 microns.
- A premium product with Fre-Cut, designed for dry sanding operations on wood, metal, plastic fiberglass, paint, primer and solid surface materials.
- Premium aluminum oxide mineral for extended life and good cut
- Resin over resin bond for long life
- Durable film backing for long life, improved cut and a superior finish
- Fre-Cut coating for load resistance on soft materials.
- Micron grading for a consistent, uniform and repeatable finish
- 250 discs per case



Mfg Part#	Size	Grade	Item #
50187	5" No Hole,	100 mic	81050187
50188	6" No Hole,	100 mic	81050188




Hookit II Trizact™ Film 268XA Micro Finishing, Film

*Aluminum Oxide, Resin Bond, Fre-cut Coating
Trizact™*

3M's unique Trizact™ film abrasives can help you generate superior finishes on solid surface material, with fewer processing steps, in about half the time of other abrasives.

Trizact film consists of precisely shaped pyramids containing micron graded mineral. As the abrasive is used, the tops of the pyramids wear away, continually exposing fresh abrasive. This ensures a consistent cut rate throughout the long life of Trizact film.



3M™ Trizact™ Hookit™ II Film Discs — 268XA

- Saves time — achieve desired finish in less than half the time of other methods
- Used for final polishing, fewer processing steps
- Long abrasive life — 8 to 10 times longer than other abrasives
- More effective surface leveling — flatter finish, eliminates orange peel
- Eliminates compounds and buffing for most finishes
- Minimizes dust generation
- Requires little water — can use on site
- Simplifies surface maintenance, easy touch-ups — even on high gloss finishes
- Available in grades A35, A10, A5.
- Trizact film abrasive, a premium product utilizing 3M's Microreplication technology.
- Premium mineral for extended life and good cut.
- Microreplicated surface for an extremely consistent cut rate and finish.
- Flexible film backing for durability, improved cut, and wet applications.
- Individual discs with liner.
- 25 discs per box, 4 boxes per case

Mfg Part#	Size	Grade	Item #
<i>5" Trizact Discs</i>			
49962	5"	Green A35	81049962
49963	5"	Blue A10	81049963
49971	5"	Orange A5	81049971
<i>6" Trizact Discs</i>			
50006	6"	Green A35	81050006
50047	6"	Blue A10	81050047
50061	6"	Orange A5	81050061



Hookit II Trizact™ Film 568X Micro Finishing, Film

*Cerium Oxide, Resin Bond, Fre-cut Coating
Trizact™*

3M's unique Trizact™ film abrasives can help you generate superior finishes on solid surface material, with fewer processing steps, in about half the time of other abrasives.

Trizact film consists of precisely shaped pyramids containing micron graded mineral. As the abrasive is used, the tops of the pyramids wear away, continually exposing fresh abrasive. This ensures a consistent cut rate throughout the long life of Trizact film.

3M™ Trizact™ Hookit™ II Film Discs — 568XA

- Saves time — achieve desired finish in less than half the time of other methods
- Fewer processing steps
- Long abrasive life — 8 to 10 times longer than other abrasives
- More effective surface leveling — flatter finish, eliminates orange peel
- Eliminates compounds and buffing for most finishes
- Minimizes dust generation
- Requires little water — can use on site
- Simplifies surface maintenance, easy touch-ups — even on high gloss finishes
- Used in final polishing steps, fewer processing steps
- Used to produce a high gloss finish
- 25 discs per roll, 4 rolls per case

Mfg Part#	Size	Grade	Item #
50004	5"	White - No Grade	81050004
49951	6"	White - No Grade	81049951

Notes



MIRKA

Abralon Pads

For Solid Surface Finishing

- Abralon combines the benefits of abrasive cloth and non-woven products
- Constructed with a fabric face, foam center and a grip backing
- Openings in the fabric allow water, solvent and air to flow freely around the abrasive.
- Works especially well when sanding contoured surfaces, corners and sharp edges.
- Open cell design holds large amounts of water or solvent for lubrication and cooling
- Foam center provides for even surface pressure that helps eliminate "finger marks" when hand sanding.
- 20 pads per box, 5 boxes per case
- Assortment Pack includes 2 each 180, 360, 500, 1000, 2000, and 5000 pads, one 5" grip back up pad, and one 6" grip interface pad



Mfg Part#	Size	Grade	Item #
8A-241-500	6"	500	5800200
8A-241-360	6"	360	5800150
8A-241-180	6"	180	5800100

Assortment Pack

8A-241-AP			5800250
-----------	--	--	---------

3M

3M Stikit™ Vibrator Sander Roll 415U, Paper Silicon Carbide, A-Weight Paper, Fre-cut Coating Stikit™

- 3M Stikit Vibrator Sander Roll 415U, 4 -1 / 2 in x 10 yd, paper:
- Silicon carbide mineral on an A-weight light paper backer.
- General purpose discs for whitewood and sealer sanding
- Special Fre-Cut™ coating resists loading
- Unique construction provides excellent finish
- Convenient roll form
- 10 rolls per case


Mfg Part#	Size	Grade	Item #
399	4-1/2" x 10 YD	220	81000399
398	4-1/2" x 10 YD	180	81000398
643	4-1/2" x 10 YD	150	81000643
397	4-1/2" x 10 YD	120	81000397
396	4-1/2" x 10 YD	100	81000396
395	4-1/2" x 10 YD	80	81000395

MIRKA

Carat PSA Autokut Sheet Rolls

Aluminum Oxide, Resin Bond, Paper Back

- Carat, for dry sanding applications.
- The improved stearate coating minimizes clogging and loading.
- Resin over glue bonding combines aluminum oxide abrasive and durable B-weight backing (on 180 to 100 grades) and D-weight backing (on 80 grade).
- Stronger than competitive products using A-weight backing
- The best all around value priced performance product.
- 10 rolls per case



Mfg Part#	Size	Grade	Item #
17-573-180	4-1/2" x 10 Yd	180	5801530
17-573-120	4-1/2" x 10 Yd	120	5801520
17-573-100	4-1/2" x 10 Yd	100	5801510
17-573-80	4-1/2" x 10 Yd	80	5801500

3M

3M™ Portable Belts 240D, Cloth, General Use Aluminum Oxide, X-Weight, Open Coat Three-M-ite™

3M™ Portable Belts 240D, Cloth, General Use:

- An aluminum oxide open coat, non-loading cloth belt constructed on an X-weight, durable cloth backing.
- Excellent for wood and soft substrates.
- Resin bonded for heat resistance.
- Open coating resists loading.
- 10 per box, 10 per case



Mfg Part#	Size	Grade	Item #
<i>3" x 21" Portable Belts</i>			
27495	3" x 21"	120	81027495
27496	3" x 21"	100	81027496
27497	3" x 21"	80	81027497
27499	3" x 21"	50	81027499
<i>3" x 24" Portable Belts</i>			
27470	3" x 24"	120	81027470

MIRKA

Portable Belts

Aluminum Oxide, Resin Bond, X-Weight Cloth

- Fully resin bonded, aluminum oxide, on a strong X-weight cloth belt.
- Maximizes life for machine sanding operations.
- Rigid cotton cloth.
- Tear resistant.
- Closed coat grit configuration.
- High stock removal and high quality surface finish.
- 10 belts per box, 5 boxes per case



Mfg Part#	Size	Grade	Item #
<i>3" x 21" Portable Belts</i>			
57-3-21-120	3" x 21"	120	5805050
57-3-21-100	3" x 21"	100	5805040
57-3-21-80	3" x 21"	80	5805030
57-3-21-60	3" x 21"	60	5805020
57-3-21-50	3" x 21"	50	5805010
57-3-21-40	3" x 21"	40	5805000
<i>3" x 24" Portable Belts</i>			
57-3-24-120	3" x 24"	120	5805250
57-3-24-100	3" x 24"	100	5805240
57-3-24-80	3" x 24"	80	5805230
57-3-24-60	3" x 24"	60	5805220
57-3-24-50	3" x 24"	50	5805210
57-3-24-40	3" x 24"	40	5805200
<i>4" x 24" Portable Belts</i>			
57-4-24-120	4" x 24"	120	5805450
57-4-24-100	4" x 24"	100	5805440
57-4-24-80	4" x 24"	80	5805430
57-4-24-60	4" x 24"	60	5805420
57-4-24-50	4" x 24"	50	5805410
57-4-24-40	4" x 24"	40	5805400

3M

3M Edge Sanding Belts - Cloth, General Use

240D Aluminum Oxide, X-Weight, Open Coat

3M 270D 3-M-Ite Engineered Use Belts:

- Aluminum oxide mineral, open coated, on a durable Y-weight cloth backing.
- Designed for intermediate wood sanding operations where premature loading or clogging may be a problem.
- Resin bonded for heat resistance.
- Open coat resists loading.



Mfg Part#	Size	Grade	Case Qty	Item #
27326	2-1/4" x 80"	80	50	81027326
3330461	4" x 132"	80	50	81005030
80564	6" x 48"	80	20	81080564
3069614	6" x 80"	80	20	81005040

3M

3M Edge Sanding Belts - Cloth, High Performance

970DZ Purple, Cubitron, Y-Weight, Open Coat

3M™ 970DZ Purple High Performance Belts:

- Cubitron™ (ceramic aluminum oxide) mineral, open coated on a heavy Y-weight cloth belt.
- Provides extremely long life, and uniform finish
- Performs well on all wood species
- Reduced burning when performing "end-grain" sanding applications
- 3M Xodust™ technology reduces static and airborne dust levels when used with an efficient dust-collection system
- Loading or clogging is minimized, and the abrasive continues to cut cleanly and efficiently.
- 5 belts per case



Mfg Part#	Size	Grade	Item #
50805	4" x 132"	100	81050805
50804	4" x 132"	80	81050804



3M Wide Belts - Cloth, General Use

240D Aluminum Oxide, X-Weight, Open Coat

3M 240D General Use Wide Belts:

- Aluminum Oxide mineral, open coated, on a durable X-weight cloth backing.
- Excellent general use belt for wood and soft substrates.
- Resin bonded for heat resistance.
- Open coat resists loading.
- 5 belts per case



Mfg Part#	Size	Grade	Item #
6828	37" x 60"	150	81006828
71591	37" x 60"	180	81071591
3952	37" x 60"	120	81003952
3951	37" x 60"	100	81003951
3950	37" x 60"	80	81003950
32444	37" x 75"	220	81032444
30419	37" x 75"	180	81030419
6822	37" x 75"	150	81006822
3932	37" x 75"	120	81003932
3931	37" x 75"	100	81003931
3930	37" x 75"	80	81003930
3929	37" x 75"	60	81003929
6920	43" x 60"	150	81006920
6919	43" x 60"	120	81006919
6917	43" x 60"	80	81006917
6916	43" x 60"	60	81006916



3M Wide Belts - Cloth, Engineered Use

270D Aluminum Oxide, Y-Weight, Open Coat

3M 270D 3-M-lte Engineered Use Resin Bond Wide Belts:

- Aluminum oxide mineral, open coated, on a durable Y-weight cloth backing.
- Designed for intermediate wood sanding operations where premature loading or clogging may be a problem.
- Resin bonded for heat resistance.
- Open coat resists loading.
- 3 belts per case



Mfg Part#	Size	Grade	Item #
73970	37X75	80Y	81073970



3M Wide Belts - Cloth, Purple, High Performance

970DZ Purple, Cubitron, Y-Weight, Open Coat

What's so special about Purple belts? Count on 3M Purple products to offer state-of-the-art technology designed to lower your production costs.



This family of products combines two of 3M's premier technologies: Cubitron™ mineral and Xodust™ dust control technology. These Purple belts are coated with Cubitron ceramic aluminum oxide mineral, simply the best you can get. This abrasive grain is the result of more than 15 years of extensive research and process development.

Cubitron grain, developed and patented by 3M Company, was introduced for sale initially in 1981 in the form of Regal™ coated abrasives. Revolutionary performance and continual upgrades have made this the flagship of our coated abrasive product line.

3M's Purple belts feature the highly effective Xodust dust control treatment. Less dust in the air not only creates a safer environment for the operator, but it also ensures cleaner panels, and reduces subsequent clean-up prior to finish or lamination. Machinery runs better when it's free of dust, and requires less maintenance. Purple belts will run longer with less dust adhering to the abrasive surface when used with an efficient dust collecting system.

Loading or clogging is minimized, and the abrasive continues to cut cleanly and efficiently.

3M™ 970DZ Purple High Performance Wide Belts:

- Cubitron™ (ceramic aluminum oxide) mineral, open coated on a heavy Y-Weight cloth belt.
- Provides extremely long life, and uniform finish
- Performs well on all wood species
- Reduced burning when performing "end-grain" sanding applications
- 3M Xodust™ technology reduces static and airborne dust levels when used with an efficient dust-collection system
- Grades 100 and finer are 5 per box, 80 and coarser are 3 per box


Mfg Part#	Size	Grade	Case Qty	Item #
60530	37" x 60"	180	5	81060530
55808	37" x 60"	150	5	81055808
55807	37" x 60"	120	5	81055807
55806	37" x 60"	100	5	81055806
55805	37" x 60"	80	3	81055805
55814	37" x 75"	180	5	81055814
55812	37" x 75"	150	5	81055812
55811	37" x 75"	120	5	81055811
55810	37" x 75"	100	5	81055810
55809	37" x 75"	80	3	81055809



3M™ Flexible Sanding Pads

3M Flexible Sanding Pads are for either dry or wet sanding. Ideal for sanding wood, paint, metal, plastic and drywall.

- Available in medium or fine
- Pad size 4-3/4" x 3-3/4" x 1/2"
- 250 pads per case




Mfg Part#	Grade	Item #
51066	Fine	80851066
51065	Medium	80851065



3M™ Flexible Sanding Sponges

3M Small Area Sanding Sponge is for either dry or wet sanding. Ideal for sanding wood, paint, metal, plastic and drywall. Rinse and reuse.

- Two sanding grades on one sponge in a combination of fine on one side, medium on the other.
- Pad size 4-3/4" x 3-3/4" x 1/2"
- 250 pads per case



Mfg Part#	Grade	Item #
50038	Med/Fine	80850038



High Flexibility Sanding Sponge

3-M™

3M™ High Flexibility Sanding Sponges are ideal for sanding wood, paint, metal, plastic and drywall. Use for either dry or wet sanding rinse and reuse. Conformable, comfortable, flexible and convenient.

- Available in fine and medium
- Abrasive on three sides
- Pad size 3-3/4" x 2-5/8" x 1/2"
- 108 pads per case



Mfg Part#	Size	Case Qty	Item #
631	Fine	108	80800631
630	Medium	108	80800630



Scotch-Brite® 07440 Series Hand Pads

The world's leading surface conditioning hand pads, Scotch-Brite brand hand pads outperform steel wool, wire brushes and other non-woven hand pads. Can be used for cleaning, scuffing, deburring and finishing. Cut fast and leave a more consistent finish than other abrasives. Will never rust and can be used with water or solvents



- Scotch-Brite Maroon 7447 is a general purpose hand pad for scuff sanding, cleaning, finishing and deburring. It is used for car reconditioning, cleaning upholstery, machinery, door pads chrome. Can also be used to Deburr metals and ceramics.
- Scotch-Brite Gray 7448 is an ultra fine hand pad that is ideal for cosmetic cleaning and creating consistent finishes
- Scotch-Brite White 7445 is a light-duty cleansing pad, with the least aggressive cut and the finest finish.
- 6" x 9" pad size, 20 pads per box / 60 pads per case

Mfg Part#	Size	Item #
16976	White 7445	80816976
4028	Grey 7448	80804028
4029	Maroon 7447	80804029



3M™ Softback Contour Surface Sanding Sponges

3M™ Softback Contour Surface Sanding Sponges are ideal for sanding wood, paint, metal, plastic and drywall. The contoured sponge can be used for either dry or wet sanding and can be rinsed and reused. Extremely flexible with a softback.



- Available in medium, fine and super-fine
- Abrasive on one side only
- Pad size 5-1/2" x 4-1/2" x 1/2"
- 250 pads per case


Mfg Part#	Grade	Item #
6964	Super Fine	80806964
6965	Fine	80806965
6966	Medium	80806966

MIRKA

Abrasives Sanding Sponges

One-sided or Two-sided

- Deliver an exceptionally smooth long-lasting cut.
- Perfect contour surfaces.
- Can be used wet or dry.
- Single sided sponges are 4-1/2" x 5-1/2" x 1/4", packaged 250 sponges per case.
- Double sided sponges are 3-3/4" x 4-3/4" x 1/2", packaged 10 sponges per pack, 6 packs per case.




Mfg Part#	Grade	Item #
<i>1-Sided Sponges</i>		
1550-220	220	5801050
1550-180	180	5801000
<i>2-Sided Sponges</i>		
1354F	Fine	5801100
1354M	Medium	5801150

MIRKA

Mirlon Non-Woven Scuff Pads & Discs

- One of the fastest growing technologies in the abrasives industry.
- For applications in fine finishing and surface preparation.
- A state of the art product for use in both the automotive and industrial workplace
- Nonwoven abrasives are three-dimensional media made with cut fiber strands, coated with resin and abrasive.
- Mirlon is a very flexible product ideal for use on contoured surfaces.
- Pad size 6" x 9", 20 pads per box, 3 boxes per case
- 6" disc sizes, 10 discs per box, 4 boxes per case



Mfg Part#	Type	Grade	Item #
18-111-447	6" x 9" Pad	Maroon, Fine	5801800
18-111-448	6" x 9" Pad	Grey, Ultra-Fine	5801820
18-241-447	6" Disc	Maroon, Fine	5801850

3M

Stikit™ Disc Hand Pad 45188

- Hand sanding of wood and metal is easy with Stikit discs and disc hand pads. Constructed of neoprene rubber with a nylon cloth face and an elastic hand band on the back.
- Designed to securely hold the disc, but allow easy removal.
- 5" in diameter.
- 20 pads per case



Mfg Part#	Size	Case Qty	Item #
45188	5 x 1/8	20	81045188
45189	5 x 1/4	20	81045189

Z-PRO®

660 Sanding Block

- All purpose wet or dry rubber sanding block, 5" long x 2-3/4" wide
- For sanding flat or curved surfaces
- Uses 2-3/4" x 9" sandpaper (1/4 sheet).



Mfg Part#	Case Qty	Item #
660	6	8981350

PORTER-CABLE

48116 Abrasive Cleaner Stick

- Abrasive Cleaner Stick, 11-3/4" x 2" x 2"
- Cleans your belts like an eraser. Just hold stick against moving belt and watch the build-up disappear



Mfg Part#	Size	Case Qty	Item #
48116	2" x 2" x 11-3/4"	10	6608710

ABRASIVES



Stikit Tri-M-ite™ Sanding Block

Refill Roll System

Stikit Refill Roll System is designed for your comfort and utility. The sanding blocks are made of tough plastic for long life and durability. They allow you to sand into corners with the flat end and into curved or contoured areas with the rounded end. When the abrasive on the surface is used up, simply peel back the used portion, and pull down on the roll end to expose fresh abrasive.



- The abrasive used is 3M's Stikit™ 415U/415N, General Use, paper, with a silicon carbide coated on an A weight, paper backing with a Fre-Cut coating to reduce loading.
- Sanding blocks are made of a tough plastic for long life and durability. The cushioned back-up pad is durable and holds the abrasive firmly in place. Discover their versatility in top coat sanding, sealer and whitewood sanding, paint repair areas and more.
- 50 rollla per case, 6 sanding blocks per case.

Mfg Part#	Size	Grade	Item #
<i>Stikit Sanding Blocks</i>			
45203	2-1/2" Wide		81045203
45204	3-1/4" Wide		81045204
<i>2-1/2" Refill Abrasive Rolls, 415U/415N A-Weight</i>			
16283	2-1/2" x 95"	220	81016283
16284	2-1/2" x 85"	180	81016284
16285	2-1/2" x 80"	150	81016285
16286	2-1/2" x 70"	120	81016286
16287	2-1/2" x 55"	100	81016287
<i>3-1/4" Refill Abrasive Rolls, 415U/415N A-Weight</i>			
16288	3-1/4" x 125"	320	81016288
16289	3-1/4" x 95"	280	81016289
16291	3-1/4" x 95"	220	81016291
16293	3-1/4" x 80"	150	81016293
16294	3-1/4" x 70"	120	81016294
16295	3-1/4" x 55"	100	81016295

McKILLICAN

A Century of Innovation is a celebration of the values and innovative thinking that makes 3M unique. Perseverance, ingenuity and creativity have made 3M's first 100 years a century of success.



Visit them on the web

www.3m.com

**Contact your
nearest
McKillican
Customer Service
Center for all your
abrasive needs!**



Notes